

1 **HB 2347 - H COMM AMD ADOPTED 02/04/94**
2 By Committee on Energy & Utilities

3 On page 4, beginning on line 20, strike all material through
4 "council." on line 29 and insert "U-values for vertical glazing
5 shall be determined, certified, and labeled in accordance with
6 the appropriate national fenestration rating council (NFRC)
7 standard, as determined and adopted by the state building code
8 council. Certification of U-values shall be conducted by a
9 certified, independent agency licensed by the NFRC. The state
10 building code council may develop and adopt alternative methods
11 of determining, certifying, and labeling U-values for vertical
12 glazing that may be used by fenestration manufacturers if
13 determined to be appropriate by the council. The state building
14 code council shall review and consider the adoption of the NFRC
15 standards for determining, certifying, and labeling for doors and
16 skylights when developed and published by the NFRC. The state
17 building code council may develop and adopt appropriate
18 alternative methods for determining, certifying, and labeling U-
19 values for doors and skylights. U-values for doors and skylights
20 determined, certified, and labeled in accordance with the
21 appropriate NFRC standard shall be acceptable for compliance with
22 the state energy code."

EFFECT: The NFRC standard is mandatory for windows. The SBCC is directed to review and consider adopting the NFRC standard for doors and skylights when it is adopted by NFRC. Doors and skylights tested under the NFRC standard shall be accepted as complying with the state energy code.