17

18

19

20

21

22

HB 1383 - H AMD 1019 By Representative Appleton

ADOPTED 02/13/2008

- 1 Strike everything after the enacting clause and insert the 2 following:
- "NEW SECTION. Sec. 1. The legislature finds and declares that the 3 4 practices of body modification involve an invasive procedure with the 5 use of needles, single-use disposable sharps, reusable sharps, 6 instruments, and jewelry. These practices may be dangerous when 7 improperly sterilized, presenting a risk of infecting the client with 8 bloodborne pathogens including, but not limited to, HIV, hepatitis B, 9 and hepatitis C. It is in the interests of the public health, safety, and welfare to establish requirements in the commercial practice of 10 11 body piercing in this state.
- NEW SECTION. Sec. 2. A new section is added to chapter 70.54 RCW to read as follows:
- 14 The definitions in this section apply throughout sections 1 and 3 15 through 5 of this act and RCW 5.40.050 unless the context clearly 16 requires otherwise.
 - (1) "Body modification" means the practice of physical cosmetic body adornment including body piercing and the use of branding and scarification. "Body modification" also includes the intentional production of scars upon the body. "Body modification" does not include any health-related procedures performed by licensed health practitioners under their scope of practice.
- (2) "Body piercing" means the process of penetrating the skin or mucous membrane for the purpose of insertion of an object, including jewelry, for cosmetic purposes. "Body piercing" also includes any scar tissue resulting from or relating to the piercing. "Body piercing" does not include any health-related procedures performed by licensed health practitioners under their scope of practice.

NEW SECTION. **Sec. 3.** A new section is added to chapter 70.54 RCW to read as follows:

The secretary of health shall adopt by rule requirements for 3 standard precautions, as recommended by the United States centers for 4 5 disease control and prevention, for preventing the spread of disease and the sterilization of needles, single-use disposable sharps, 6 7 reusable sharps, instruments, and jewelry used by a person who practices body modification in accordance with the standards of the 8 American national standards institute and the association for the 9 advancement of medical instrumentation for table-top steam sterilizers 10 in office sterilization. 11

- NEW SECTION. Sec. 4. A new section is added to chapter 70.54 RCW to read as follows:
- 14 (1) A person who practices body modification must comply with the 15 rules adopted by the secretary of health under section 3 of this act.
- 16 (2) A violation of this section is a misdemeanor.
- 17 **Sec. 5.** RCW 5.40.050 and 2001 c 194 s 5 are each amended to read 18 as follows:

A breach of a duty imposed by statute, ordinance, or administrative rule shall not be considered negligence per se, but may be considered by the trier of fact as evidence of negligence; however, any breach of duty as provided by statute, ordinance, or administrative rule relating to electrical fire safety, the use of smoke alarms, sterilization of needles and instruments used in tattooing or electrology as required under RCW 70.54.350, standard precautions for preventing the spread of disease and sterilization of needles, single-use disposable sharps, reusable sharps, instruments, and jewelry used in body modification as required under section 3 of this act, or driving while under the influence of intoxicating liquor or any drug, shall be considered negligence per se."

31 Correct the title.

19

20

21

22

23

2425

26

27

2829

30

EFFECT: Changes the term "body art" to "body modification" and

includes body piercing activities in the definition of "body modification." Removes the exclusion of stud and clasp piercing systems that pierce the earlobe from the definition of "body piercing."

Changes the phrase "standard universal precautions" to "standard precautions."

Requires the Secretary of Health's rules regarding sterilization procedures to be in accordance with the standards of the American National Standards Institute and the Association for the Advancement of Medical Instrumentation.

--- END ---