## SUBSTITUTE SENATE BILL 6109

State of Washington 65th Legislature 2018 Regular Session

By Senate Ways & Means (originally sponsored by Senators Van De Wege and Rolfes)

READ FIRST TIME 02/06/18.

- 1 AN ACT Relating to the International Wildland Urban Interface
- 2 Code; amending RCW 19.27.031; adding a new section to chapter 19.27
- 3 RCW; and adding a new section to chapter 43.30 RCW.
- 4 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF WASHINGTON:
- 5 **Sec. 1.** RCW 19.27.031 and 2015 c 11 s 2 are each amended to read 6 as follows:
- Except as otherwise provided in this chapter, there shall be in effect in all counties and cities the state building code which shall consist of the following codes which are hereby adopted by reference:
- 10 (1)(a) The International Building Code, published by the 11 International Code Council, Inc.;
- 12 (b) The International Residential Code, published by the 13 International Code Council, Inc.;
- 14 (2) International Mechanical Code, The published the by International Code Council, Inc., except that the standards for 15 16 liquefied petroleum gas installations shall be NFPA 58 (Storage and 17 Handling of Liquefied Petroleum Gases) and ANSI Z223.1/NFPA 54 (National Fuel Gas Code); 18
- 19 (3) The International Fire Code, published by the International 20 Code Council, Inc., including those standards of the National Fire 21 Protection Association specifically referenced in the International

p. 1 SSB 6109

Fire Code: PROVIDED, That, notwithstanding any wording in this code, participants in religious ceremonies shall not be precluded from carrying handheld candles;

4

5

7

8

9

10 11

- (4) <u>Portions of the International Wildland Urban Interface Code</u>, <u>published by the International Code Council Inc.</u>, as set forth in section 2 of this act;
- (5) Except as provided in RCW 19.27.170, the Uniform Plumbing Code and Uniform Plumbing Code Standards, published by the International Association of Plumbing and Mechanical Officials: PROVIDED, That any provisions of such code affecting sewers or fuel gas piping are not adopted;
- $((\frac{(5)}{(5)}))$  (6) The rules adopted by the council establishing standards for making buildings and facilities accessible to and usable by individuals with disabilities or elderly persons as provided in RCW 70.92.100 through 70.92.160; and
- $((\frac{(+6)}{(+6)}))$  (7) The state's climate zones for building purposes are designated in RCW 19.27A.020(3) and may not be changed through the adoption of a model code or rule.
- In case of conflict among the codes enumerated in subsections (1), (2), (3), ((and)) (4), and (5) of this section, the first named code shall govern over those following.
- The codes enumerated in this section shall be adopted by the council as provided in RCW 19.27.074. The council shall solicit input from first responders to ensure that firefighter safety issues are addressed during the code adoption process.
- The council may issue opinions relating to the codes at the request of a local official charged with the duty to enforce the enumerated codes.
- NEW SECTION. Sec. 2. A new section is added to chapter 19.27 RCW to read as follows:
- 31 (1) In addition to the provisions of RCW 19.27.031, the state 32 building code shall consist of the following parts of the 33 International Wildland Urban Interface Code, published by the 34 International Code Council, Inc., which are hereby adopted by 35 reference:
- 36 (a) The following parts of section 504 class 1 ignition-resistant construction:
- 38 (i)(A) 504.2 Roof covering Roofs shall have a roof assembly 39 that complies with class A rating when testing in accordance with

p. 2 SSB 6109

- American society for testing materials E 108 or underwriters laboratories 790. For roof coverings where the profile allows a space between the roof covering and roof decking, the space at the eave ends shall be fire stopped to preclude entry of flames or embers, or have one layer of seventy-two pound mineral-surfaced, nonperforated camp sheet complying with American society for testing materials D 3909 installed over the combustible decking.
  - (B) The roof covering on buildings or structures in existence prior to the adoption of this act that are replaced or have twenty-five percent or more replaced in a twelve month period shall be replaced with a roof covering required for new construction based on the type of ignition-resistant construction specified in accordance with section 503 of the International Wildland Urban Interface Code.
- 14 (ii) 504.5 Exterior walls Exterior walls of buildings or structures shall be constructed with one of the following methods:
- 16 (A) Materials approved for not less than one hour fire-resistance 17 rated construction on the exterior side;
  - (B) Approved noncombustible materials;

8

9

10 11

12

13

18

19

2021

22

23

26

27

28 29

30 31

32

33

34

35

36

37

38 39

40

- (C) Heavy timber or log wall construction;
- (D) Fire retardant-treated wood on the exterior side. The fire retardant-treated wood shall be labeled for exterior use and meet the requirements of section 2303.2 of the International Building Code; or
  - (E) Ignition-resistant materials on the exterior side.
- Such materials shall extend from the top of the foundation to the underside of the roof sheathing.
  - (iii) 504.7 Appendages and projections Unenclosed accessory structures attached to buildings with habitable spaces and projections, such as decks, shall not be less than one hour fire-resistance rated construction, heavy timber construction, or constructed of one of the following:
    - (A) Approved noncombustible materials;
  - (B) Fire retardant-treated wood identified for exterior use and meeting the requirements of section 2303.2 of the International Building Code; or
  - (C) Ignition-resistant building materials in accordance with section 503.2 of the International Wildland Urban Interface Code.
  - (b) Section 403.2 Driveways Driveways shall be provided where any portion of an exterior wall of the first story of the building is located more than one hundred fifty feet from a fire apparatus access road. Driveways in excess of three hundred feet in length shall be

p. 3 SSB 6109

provided with turnarounds and driveways in excess of five hundred feet in length and less than twenty feet in width shall be provided with turnouts and turnarounds.

- (2) All counties, cities, and towns may adopt the International Wildland Urban Interface Code, published by the International Code Council, Inc., or any portion thereof.
- (3) In adopting and maintaining the code enumerated in subsections (1) and (2) of this section, any amendment to the code as adopted may not result in a code that is more than the minimum performance standards and requirements contained in the published model code.
- NEW SECTION. Sec. 3. A new section is added to chapter 43.30 RCW to read as follows:
  - (1) The department shall, to the extent practical within existing resources, establish a program of technical assistance to counties, cities, and towns for the development of findings of fact and maps establishing the wildland urban interface areas of jurisdictions in accordance with the requirements of the International Wildland Urban Interface Code as adopted by reference in section 2 of this act.
  - (2) The department shall develop and administer a grant program, subject to funding provided for this purpose, to provide direct financial assistance to counties, cities, and towns for the development of findings of fact and maps establishing wildland urban interface areas. Applications for grant funds must be submitted by counties, cities, and towns in accordance with regulations adopted by the department. The department is authorized to make and administer grants on the basis of applications, within appropriations authorized by the legislature, to any county, city, or town for the purpose of developing findings of fact and maps establishing wildland urban interface areas.

--- END ---

p. 4 SSB 6109