11

16

SUBSTITUTE SENATE BILL 5569

State of Washington 68th Legislature 2023 Regular Session

 \mathbf{By} Senate Health & Long Term Care (originally sponsored by Senators Rivers and Dozier)

READ FIRST TIME 02/15/23.

- AN ACT Relating to creating exemptions from certificate of need requirements for kidney disease centers due to temporary emergency
- 3 situations; and adding a new section to chapter 70.38 RCW.
- 4 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF WASHINGTON:
- 5 <u>NEW SECTION.</u> **Sec. 1.** A new section is added to chapter 70.38 6 RCW to read as follows:
- 7 (1) Notwithstanding RCW 70.38.105(4)(h), a kidney disease center 8 may be granted an exemption to exceed its authorized number of 9 dialysis stations during a temporary emergency situation upon approval of the department.
 - (2) A temporary emergency situation is defined to include:
- 12 (a) Natural disasters, such as earthquakes, floods, fires, or 13 snowstorms that limit or restrict access to one or more kidney 14 disease centers thereby creating a need for additional capacity at 15 other centers;
 - (b) Power outages or water system shutdowns;
- 17 (c) Mold remediations or other physical plant issues that would 18 put patient safety at risk;
- 19 (d) Staffing shortages that require kidney disease center 20 reconfiguration to facilitate delivery of dialysis services as long 21 as the facility does not exceed the number of patients served at the

p. 1 SSB 5569

- time of the exemption request. If granted, an exemption under this subsection (2)(d) is valid for 90 days, and may be extended at 90-day increments at the discretion of the department; and
 - (e) Any additional temporary emergency situations as included by the department in rule.
- (3) In order to be granted an exemption, a kidney dialysis center must make a written request to the department that may be sent by email, and include the following information:
- 9 (a) A brief description of the circumstances requiring the 10 exemption;
- 11 (b) The number of additional dialysis stations required to meet 12 patient needs, and except as noted in subsection (2)(d) of this 13 section, the expected duration that the additional stations will be 14 required to address patient needs; and
 - (c) An acknowledgment that:

1

2

3

4

5

7

8

15

18

19

20

21

22

2324

25

- 16 (i) Patient safety, health, or well-being are not being 17 threatened;
 - (ii) Fire and life safety regulations, infection control standards, or other applicable codes or regulations will not be reduced; and
 - (iii) Structural integrity of the building will not be impaired.
 - (4) Approval of an exemption does not authorize a kidney disease center to permanently increase the number of dialysis stations. If a kidney disease center seeks a permanent increase in approved stations, a certificate of need review and approval is required.
- 26 (5) The department may adopt any rules necessary to implement 27 this section.

--- END ---

p. 2 SSB 5569